


PERP Goat anti-Human Polyclonal (C-Terminus) Antibody - LS-B11149 - LSBio	
CatalogID:	LS-B11149
Validation:	This antibody replaces catalog number LS-C55266. It has been validated for use in the following assays: IHC-P.
Target:	PERP, TP53 apoptosis effector
Synonyms:	PERP Antibody, DJ496H19.1 Antibody, KCP-1 Antibody, PERP, TP53 apoptosis effector Antibody, KCP1 Antibody, p53-induced protein PIGPC1 Antibody, THW Antibody, KRTCAP1 Antibody, PIGPC1 Antibody, RP3-496H19.1 Antibody, Transmembrane protein THW Antibody
Host	PERP antibody was produced in Goat
Clonality:	Polyclonal
Immunogen Species:	PERP antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	PERP antibody was raised against synthetic peptide CLPNYEDDLLGNAK from the C-terminus of human PERP (NP_071404.2). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Rat, Hamster, Panda, Dog, Bovine, Horse, Pig, Opossum (100%); Mouse (93%); Xenopus (86%).
Specificity:	Human PERP.
Epitope:	C-Terminus
Reactivity:	Human, Gorilla, Gibbon, Monkey, Rat, Bovine, Dog, Hamster, Horse, Pig
Purification:	Immunoaffinity purified
Presentation:	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.
Uses:	IHC - Paraffin (5 μg/ml), Western blot (1 - 3 μg/ml), ELISA (Optimal dilution to be determined by the researcher)
Uses Not Recommended:	IHC - Paraffin
Size:	50 µg

Immunohistochemistry Image:



Human Skin: Formalin-Fixed, Paraffin-Embedded (FFPE)

Western Blot Image:

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

Antibody (1 ug/ml) staining of human liver lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Requested From: Japan

10kDa

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/23/2014
© 2014 LifeSpan BioSciences