



THRAP3 / TRAP150 Rabbit anti-Human Polyclonal (aa930-955) Antibody - LS-B1795 - LSBio	
<b>CatalogID:</b>	LS-B1795
<b>Validation:</b>	This antibody replaces catalog number LS-C47349. It has been validated for use in the following assays: IHC.
<b>Target:</b>	thyroid hormone receptor associated protein 3 (THRAP3)
<b>Synonyms:</b>	THRAP3 Antibody, TRAP150 Antibody
<b>Host</b>	THRAP3 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	THRAP3 / TRAP150 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	THRAP3 / TRAP150 antibody was raised against synthetic peptide from human THRAP3.
<b>Specificity:</b>	A portion of amino acids 930-955 of human Thyroid hormone receptor associated protein 3
<b>Epitope:</b>	aa930-955
<b>Reactivity:</b>	Human, Chimpanzee, Monkey, Mouse, Rat, Bovine, Dog, Horse, Xenopus
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.2% gelatin, 0.05% sodium azide.
<b>Recommended Storage:</b>	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.
<b>Usage Summary:</b>	Immunohistochemistry: LS-B1795 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-B1795 was determined to be 10 ug/ml.
<b>Uses:</b>	IHC - Paraffin (10 µg/ml), Western blot (0.1 - 1 µg/ml) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	0.5 mg/ml

**Immunohistochemistry Image:**



Anti-THRAP3 antibody IHC of human colon. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B1795 concentration 10 ug/ml.

**Western Blot Image:**



Western blot of human Thyroid hormone receptor associated protein 3 in HeLa cell lysate in the 1) absence and 2) presence of immunizing peptide using antibody at 0.1 ug/ml.

<b>Requested From:</b>	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/23/2014	
© 2014 LifeSpan BioSciences	