



UNC93B / UNC93B1 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-B2711 - LSBio	
CatalogID:	LS-B2711
Validation:	This antibody replaces catalog number LS-C53121. It has been validated for use in the following assays: IHC-P.
Target:	unc-93 homolog B1 (C. elegans) (UNC93B1)
Synonyms:	UNC93B1 Antibody, IIAE1 Antibody, Unc-93 homolog B1 (C. elegans) Antibody, UNC93 Antibody, UNC93B Antibody, Protein unc-93 homolog B1 Antibody, Unc93 homolog B Antibody, HUNC93B1 Antibody, Unc-93 related protein Antibody, Unc-93B1 Antibody, Unc93 (C. elegans) homolog B1 Antibody, Unc93 homolog B1 Antibody
Host	UNC93B1 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	UNC93B / UNC93B1 antibody was raised against Human
Immunogen:	UNC93B / UNC93B1 antibody was raised against 19 amino acid peptide from near the amino terminus of human Unc93b.
Epitope:	N-Terminus
Reactivity:	Human, Mouse, Rat
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.02% sodium azide.
Recommended Storage:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.
Usage Summary:	Immunohistochemistry: LS-B2711 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-B2711 was determined to be 5 ug/ml.
Uses:	IHC - Paraffin (5 µg/ml), Western blot (0.5 - 1 µg/ml), ELISA (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:




Anti-UNC93B1 / UNC93B antibody IHC of human skeletal muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B2711 concentration 5 ug/ml.

Immunofluorescence Image:



Immunofluorescence of Unc93b in Human Heart cells with Unc93b antibody at 20 ug/ml.

Western Blot Image:



Western blot of Unc93b in human heart tissue lysate with Unc93b antibody at (A) 0.5 and (B) 1 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences