



CTNND1 / p120 Catenin Rabbit anti-Human Polyclonal (C-Terminus) Antibody - LS-B2897 - LSBio	
<b>CatalogID:</b>	LS-B2897
<b>Validation:</b>	This antibody replaces catalog number LS-C50526. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	catenin (cadherin-associated protein), delta 1 (CTNND1)
<b>Synonyms:</b>	CTNND1 Antibody, CAS Antibody, Catenin delta-1 Antibody, CTNND Antibody, KIAA0384 Antibody, p120 Antibody, p120(CAS) Antibody, p120(CTN) Antibody, p120CAS Antibody, p120CTN Antibody, p120 catenin Antibody
<b>Family / Subfamily:</b>	Catenin / not assigned-Catenin
<b>Host</b>	CTNND1 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	CTNND1 / p120 Catenin antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	CTNND1 / p120 Catenin antibody was raised against synthetic peptide corresponding to C-terminal of human p120.
<b>Epitope:</b>	C-Terminus
<b>Reactivity:</b>	Human
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	10 mM PBS, pH 7.4, BSA, sodium azide.
<b>Recommended Storage:</b>	2°C to 8°C
<b>Usage Summary:</b>	Immunohistochemistry: LS-B2897 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-B2897 was determined to be 1:15.
<b>Uses:</b>	IHC - Paraffin (1:15) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µl

**Immunohistochemistry Image:**



Anti-CTNND1 / p120CTN antibody IHC of human spleen, red pulp. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B2897 dilution 1:15.

**Immunohistochemistry Image:**



Anti-CTNND1 / p120CTN antibody IHC of human adrenal. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B2897 dilution 1:15.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences