



ZNF292 Rabbit anti-Human Polyclonal Antibody - LS-B3099 - LSBio	
CatalogID:	LS-B3099
Validation:	This antibody replaces catalog number LS-C18582. It has been validated for use in the following assays: IHC-P.
Target:	zinc finger protein 292 (ZNF292)
Synonyms:	ZNF292 Antibody, 16 zinc-finger domain protein Antibody, BA393I2.3 Antibody, KIAA0530 Antibody, ZN-16 Antibody, Zn-15 Antibody, ZFP292 Antibody, Zinc finger protein 292 Antibody, Nbla00365 Antibody
Family / Subfamily:	Zinc Finger
Host	ZNF292 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	ZNF292 antibody was raised against Human
Immunogen:	ZNF292 antibody was raised against KIRRHKKEKEEKRRKRP. Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Dog, Bat (100%); Elephant, Panda, Rabbit, Horse, Pig (94%); Bovine (88%); Opossum, Platypus (82%).
Specificity:	Recognizes human ZNF15 (Zinc Finger Protein 15, ZFP15, Krox-10). Species cross-reactivity: rodent.
Reactivity:	Human, Gorilla, Gibbon, Monkey, Bat, Dog
Predicted Reactivity:	Horse, Pig, Rabbit
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.02% sodium azide, 40% glycerol.
Recommended Storage:	Long term: Add glycerol (40-50%) -20°C; Short term: +4°C
Usage Summary:	Immunohistochemistry: LS-B3099 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-B3099 was determined to be 10 ug/ml.
Uses:	IHC - Paraffin (10 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.6 mg/ml

Immunohistochemistry Image:



Anti-ZNF292 antibody IHC of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B3099 concentration 10 ug/ml.

Immunohistochemistry Image:



Anti-ZNF292 antibody IHC of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B3099 concentration 10 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences