


Ubiquitin Mouse anti-Bovine Monoclonal (P4G7-H11) Antibody - LS-B3695 - LSBio


CatalogID:	LS-B3695
Validation:	This antibody replaces catalog number LS-C104863. It has been validated for use in the following assays: IHC-P.
Target:	Ubiquitin
Host	Ubiquitin antibody was produced in Mouse
Clonality:	Monoclonal
Isotype:	IgG1
Clone Name:	P4G7-H11
Immunogen Species:	Ubiquitin antibody was raised against Bovine
Immunogen:	Ubiquitin antibody was raised against native bovine Ubiquitin.
Reactivity:	Bovine, Human, Mouse, Rat, Rabbit
Purification:	Protein G purified
Presentation:	PBS, 0.09% azide, 50% glycerol
Recommended Storage:	Store at -20°C.
Usage Summary:	Immunohistochemistry: LS-B3695 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-B3695 was determined to be 10 ug/ml
Uses:	IHC - Paraffin (10 µg/ml), Western blot (1:1000) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:




Anti-Ubiquitin antibody IHC of human brain, cortex. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B3695 concentration 10 ug/ml.

Immunohistochemistry Image:



Anti-Ubiquitin antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B3695 concentration 10 ug/ml.

Western Blot Image:



Western blot of Ubiquitin: Lane 1: MWM, Lane 2: Ubiquitin, Lane 3: HeLa, Lane 4: RK-13, Lane 5: 3T3, Lane 6: PC-12, Lane 7: Mouse Brain, Lane 8: Rat Brain, Lane 9: MDBK.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences