LSBio
LifeSpan BioSciences, Inc.

NFKB2 Rabbit anti-Human Polyclonal (aa1-19) Antibody - LS-B396 - LSBio

CatalogID:	LS-B396
Validation:	This antibody replaces catalog number LS-C18851. It has been validated for use in the following assays: IHC.
Target:	nuclear factor of kappa light polypeptide gene enhancer in B-cells 2 (p49/p100) (NFKB2)
Synonyms:	NFKB2 Antibody, DNA-binding factor KBF2 Antibody, LYT10 Antibody, Oncogene Lyt-10 Antibody, p52 Antibody, LYT-10 Antibody, NF-kB2 Antibody, p105 Antibody, H2TF1 Antibody
Host	NFKB2 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	NFKB2 antibody was raised against Human
Specificity:	Human NFKB2 p52/p100 peptide corresponding to aa residue 1-19 the human protein conjugated to Keyhole Limpet Hemocyanin (KLH).
Epitope:	aa1-19
Reactivity:	Human
Purification:	Delipidated and defibrinated
Presentation:	0.02 M potassium phosphate, 0.15 M sodium chloride, pH 7.2, 0.01% sodium azide.
Recommended Storage:	+4°C or -20°C, Avoid repeated freezing and thawing.
Usage Summary:	Immunohistochemistry: LS-B396 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-B396 was determined to be 1:500.
Uses:	IHC - Paraffin (1:500), Western blot (1:500 - 1:3000), ELISA (1:5000 - 1:25000) (Optimal dilution to be determined by the researcher)
Size:	50 µl

Immunohistochemistry Image:



Anti-NFKB2 antibody IHC of human thymus. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B396 dilution 1:500.

Requested From:	Japan