



PROC / Protein C Goat anti-Human Polyclonal Antibody - LS-B4277 - LSBio	
CatalogID:	LS-B4277
Validation:	This antibody replaces catalog number LS-C38505. It has been validated for use in the following assays: IHC-P.
Target:	protein C (inactivator of coagulation factors Va and VIIIa) (PROC)
Synonyms:	PROC Antibody, Anticoagulant protein C Antibody, Blood coagulation factor XIV Antibody, Autoprothrombin IIA Antibody, Protein C Antibody, PROC1 Antibody, Vitamin K-dependent protein C Antibody, THPH3 Antibody, THPH4 Antibody
Family / Subfamily:	Protease / Serine S1
Host	PROC antibody was produced in Goat
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	PROC / Protein C antibody was raised against Human
Antigen Type:	Purified protein
Immunogen:	PROC / Protein C antibody was raised against human Protein C (PC) purified from plasma.
Specificity:	Recognizes human Protein C.
Reactivity:	Human
Purification:	Immunoaffinity purified
Presentation:	10 mM HEPES, pH 7.4, 0.15 M sodium chloride, 50% glycerol.
Recommended Storage:	+4°C or -20°C, Avoid repeated freezing and thawing.
Usage Summary:	Suitable for use in ELISA, IHC-P (FFPE) and Immunoelectrophoresis. ELISA: Capture.
Uses:	IHC - Paraffin (5 μg/ml), ELISA, Immunoelectrophoresis (Optimal dilution to be determined by the researcher)
Size:	250 μg

## Immunohistochemistry Image:




Anti-PROC / Protein C antibody IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4277 concentration 5 ug/ml.

## Immunohistochemistry Image:



Anti-PROC / Protein C antibody IHC of human vessels. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4277 concentration 5 ug/ml.

## Immunohistochemistry Image:



Anti-PROC / Protein C antibody IHC of human placenta. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4277 concentration 5 ug/ml.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/23/2014
© 2014 LifeSpan BioSciences