


CYLD Goat anti-Mouse Polyclonal (Internal) Antibody - LS-B4323 - LSBio	
CatalogID:	LS-B4323
Validation:	This antibody replaces catalog number LS-C54691. It has been validated for use in the following assays: IHC-P.
Target:	cylindromatosis (turban tumor syndrome) (CYLD)
Synonyms:	CYLD Antibody, CDMT Antibody, Deubiquitinating enzyme CYLD Antibody, CYLDI Antibody, EAC Antibody, HSPC057 Antibody, MFT1 Antibody, MFT Antibody, SBS Antibody, TEM Antibody, BRSS Antibody, Ubiquitin thiolesterase CYLD Antibody, USPL2 Antibody, CYLD1 Antibody, KIAA0849 Antibody, Ubiquitin thioesterase CYLD Antibody
Host	CYLD antibody was produced in Goat
Clonality:	Polyclonal
Immunogen Species:	CYLD antibody was raised against Mouse
Antigen Type:	Synthetic peptide
Immunogen:	CYLD antibody was raised against synthetic peptide C-DSQQSKSKNPWYIDE from an internal region of mouse CYLD (NP_775545.1). Percent identity by BLAST analysis: Mouse, Hamster (100%).
Specificity:	Mouse CYLD.
Epitope:	Internal
Reactivity:	Mouse, Rat, Hamster
Purification:	Immunoaffinity purified
Presentation:	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.
Uses:	IHC - Paraffin (5 μg/ml), Western blot (1:32000) & (0.5 - 1.5 μg/ml), ELISA (1:32000) (Optimal dilution to be determined by the researcher)
Size:	50 μg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Anti-CYLD antibody IHC of mouse brain. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody LS-B4323 concentration 5 ug/ml.

Western Blot Image:



Antibody (0.5 μ ml) staining of rat brain lysate (35 μ ml protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Requested From:

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences