



LRIT3 Mouse anti-Human Monoclonal (3E7) Antibody - LS-B4551 - LSBio	
CatalogID:	LS-B4551
Validation:	This antibody replaces catalog number LS-C105217. It has been validated for use in the following assays: IHC-P.
Target:	leucine-rich repeat, immunoglobulin-like and transmembrane domains 3 (LRIT3)
Synonyms:	LRIT3 Antibody, FIGLER4 Antibody
Host	LRIT3 antibody was produced in Mouse
Clonality:	Monoclonal
Isotype:	IgG2a,k
Clone Name:	3E7
Immunogen Species:	LRIT3 antibody was raised against Human
Antigen Type:	Recombinant protein
Immunogen:	LRIT3 antibody was raised against IRIT3 (NP_940908, 422 a.a. ~ 497 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Reactivity:	Human
Purification:	Protein A purified
Presentation:	PBS, pH 7.2. Sourced in Ascites.
Recommended Storage:	Store at -20°C. Aliquot to avoid freeze/thaw cycles.
Usage Summary:	Western Blot (Transfected lysate) - positive control transfected 293T cell line. Sandwich ELISA (Recombinant protein).
Uses:	IHC - Paraffin (5 μg/ml), Western blot, ELISA (Optimal dilution to be determined by the researcher)
Size:	50 μg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:




Anti-LRIT3 antibody IHC of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4551 concentration 5 ug/ml.

Western Blot Image:



Western blot of LRIT3 expression in transfected 293T cell line by LRIT3 monoclonal antibody, clone 3E7.

ELISA Image:



Recombinant ProteinConcentration(ng/ml)

Detection limit for recombinant GST tagged LRIT3 is approximately 0.1 ng/ml as a capture antibody.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/23/2014
© 2014 LifeSpan BioSciences