



WDR77 / MEP50 Mouse anti-Human Monoclonal (3F10) Antibody - LS-B4555 - LSBio	
<b>CatalogID:</b>	LS-B4555
<b>Validation:</b>	This antibody replaces catalog number LS-C105173. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	WD repeat domain 77 (WDR77)
<b>Synonyms:</b>	WDR77 Antibody, Androgen receptor cofactor p44 Antibody, HKMT1069 Antibody, MEP-50 Antibody, Methylosome protein 50 Antibody, p44 Antibody, MEP50 Antibody, Nbla10071 Antibody, RP11-552M11.3 Antibody, WD repeat domain 77 Antibody
<b>Host</b>	WDR77 antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1,k
<b>Clone Name:</b>	3F10
<b>Immunogen Species:</b>	WDR77 / MEP50 antibody was raised against Human
<b>Antigen Type:</b>	Recombinant protein
<b>Immunogen:</b>	WDR77 / MEP50 antibody was raised against wDR77 (AAH01679, 1 a.a. ~ 343 a.a) full length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein A purified
<b>Presentation:</b>	PBS, pH 7.2. Sourced in Ascites.
<b>Recommended Storage:</b>	Store at -20°C. Aliquot to avoid freeze/thaw cycles.
<b>Usage Summary:</b>	Western Blot (Cell lysate) - positive control HeLa. Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections, 3 ug/ml) - positive control human tonsil. Sandwich ELISA (Recombinant protein).
<b>Uses:</b>	IHC - Paraffin (20 µg/ml), Western blot, ELISA (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg

**Immunohistochemistry Image:**




Anti-WDR77 antibody IHC of human skeletal muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4555 concentration 20 ug/ml.

**Western Blot Image:**



WDR77 monoclonal antibody (M01), clone 3F10 Western blot of WDR77 expression in HeLa.

**ELISA Image:**



Detection limit for recombinant GST tagged WDR77 is approximately 3 ng/ml as a capture antibody.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences