


**CCDC47 Rabbit anti-Human Polyclonal (C-Terminus) Antibody - LS-B4622 - LSBio**


<b>CatalogID:</b>	LS-B4622
<b>Validation:</b>	This antibody replaces catalog number LS-C108631. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	coiled-coil domain containing 47 (CCDC47)
<b>Synonyms:</b>	CCDC47 Antibody, MSTP041 Antibody, GK001 Antibody
<b>Host</b>	CCDC47 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	CCDC47 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	CCDC47 antibody was raised against a 15 amino acid peptide from near the carboxy terminus of human CCDC47.
<b>Specificity:</b>	Human CCDC47
<b>Epitope:</b>	C-Terminus
<b>Reactivity:</b>	Human, Mouse, Rat
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.02% sodium azide
<b>Recommended Storage:</b>	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.
<b>Usage Summary:</b>	CCDC47 antibody can be used for detection of CCDC47 by Western blot at 1-2 ug/ml.
<b>Uses:</b>	IHC - Paraffin (5 µg/ml), Western blot (1 - 2 µg/ml), ELISA (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	1 mg/ml

**Immunohistochemistry Image:**




Anti-CCDC47 antibody IHC of human skin. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4622 concentration 5 ug/ml.

**Immunofluorescence Image:**



Immunofluorescence of CDCC47 in mouse heart tissue with CDCC47 antibody at 20 ug/ml.

**Western Blot Image:**



Western blot of CCDC47 in mouse heart tissue lysate with CCDC47 antibody at (A) 1 and (B) 2 ug/ml.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences