


TLR8 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-B4699 - LSBio


| | |
|-----------------------------|---|
| CatalogID: | LS-B4699 |
| Validation: | This antibody replaces catalog number LS-C114223. It has been validated for use in the following assays: IHC-P. |
| Target: | toll-like receptor 8 (TLR8) |
| Synonyms: | TLR8 Antibody, CD288 Antibody, Toll-like receptor 8 Antibody, CD288 antigen Antibody |
| Family / Subfamily: | Toll-like Receptor / not assigned-Toll-like Receptor |
| Host | TLR8 antibody was produced in Rabbit |
| Clonality: | Polyclonal |
| Immunogen Species: | TLR8 antibody was raised against Human |
| Antigen Type: | Synthetic peptide |
| Immunogen: | TLR8 antibody was raised against a 13 amino acid peptide near the amino terminus of human TLR8. |
| Epitope: | N-Terminus |
| Reactivity: | Human |
| Purification: | Immunoaffinity purified |
| Presentation: | PBS, 0.02% sodium azide. |
| Recommended Storage: | Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted. |
| Uses: | IHC - Paraffin (5 µg/ml) (Optimal dilution to be determined by the researcher) |
| Size: | 50 µg |
| Concentration: | 1 mg/ml |

Immunohistochemistry Image:



Anti-TLR8 antibody IHC of human thymus. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4699 concentration 5 ug/ml.

Immunohistochemistry Image:



Anti-TLR8 antibody IHC of human lung. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4699 concentration 5 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences