



| RUSC2 Rabbit anti-Human Polyclonal Antibody - LS-B4719 - LSBio |   |
|--|---|
| <b>CatalogID:</b>  | LS-B4719  |
| <b>Validation:</b>   | This antibody replaces catalog number LS-C114262. It has been validated for use in the following assays: IHC-P. |
| <b>Target:</b>   | RUN and SH3 domain containing 2 (RUSC2)   |
| <b>Synonyms:</b>   | RUSC2 Antibody, Iporin Antibody, Interacting protein of Rab1 Antibody, KIAA0375 Antibody                        |
| <b>Host</b>  | RUSC2 antibody was produced in Rabbit   |
| <b>Clonality:</b>  | Polyclonal  |
| <b>Immunogen Species:</b>                                      | RUSC2 antibody was raised against Human   |
| <b>Antigen Type:</b>   | Synthetic peptide   |
| <b>Immunogen:</b>  | RUSC2 antibody was raised against a 15 amino acid peptide from near the carboxy terminus of human RUSC2.        |
| <b>Reactivity:</b>   | Human   |
| <b>Purification:</b>   | Immunoaffinity purified   |
| <b>Presentation:</b>   | PBS containing 0.02% sodium azide   |
| <b>Recommended Storage:</b>                                    | Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.                |
| <b>Uses:</b>   | IHC - Paraffin (5 µg/ml) (Optimal dilution to be determined by the researcher)                                  |
| <b>Size:</b>   | 50 µg   |
| <b>Concentration:</b>  | 1 mg/ml   |

**Immunohistochemistry Image:**




Anti-RUSC2 antibody IHC of human placenta. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4719 concentration 5 ug/ml.

**Immunohistochemistry Image:**



Anti-RUSC2 antibody IHC of human colon, submucosal plexus. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4719 concentration 5 ug/ml.

**Immunohistochemistry Image:**



Anti-RUSC2 antibody IHC of human peripheral nerve. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4719 concentration 5 ug/ml.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences