


TNFRSF25 / DR3 Rabbit anti-Human Polyclonal Antibody - LS-B4838 - LSBio	
CatalogID:	LS-B4838
Validation:	This antibody replaces catalog number LS-C109395. It has been validated for use in the following assays: IHC-P.
Target:	tumor necrosis factor receptor superfamily, member 25 (TNFRSF25)
Synonyms:	TNFRSF25 Antibody, APO-3 Antibody, APO3 Antibody, DDR3 Antibody, Death receptor 3 Antibody, DR3 Antibody, Death receptor beta Antibody, LARD Antibody, Protein WSL Antibody, TR3 Antibody, WSL Antibody, WSL-1 Antibody, WSL-LR Antibody, Apoptosis inducing receptor Antibody, TNFRSF12 Antibody, WSL1 Antibody, Protein WSL-1 Antibody, TRAMP Antibody
Family / Subfamily:	TNF Receptor / not assigned-TNF Receptor
Host	TNFRSF25 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	TNFRSF25 / DR3 antibody was raised against Human
Immunogen:	TNFRSF25 / DR3 antibody was raised against recombinant protein fragment containing a sequence corresponding to a region within amino acids 1 and 210 of Human DR3.
Specificity:	Human DR3.
Reactivity:	Human
Purification:	Immunoaffinity purified
Presentation:	0.1 M Tris-glycine, pH 7, 10% Glycerol, 0.01% Thimerosal
Recommended Storage:	Aliquot and store at -20°C. Minimize freezing and thawing.
Uses:	IHC - Paraffin (10 μ g/ml), Western blot (1:500 - 1:3000) (Optimal dilution to be determined by the researcher)
Size:	50 µl
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-DR3 antibody IHC of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4838 concentration 10 ug/ml.

Western Blot Image	:
<u>KDa</u> 170 130	
95 —	
72 —	
55 —	- -
43 —	
34 —	
Sample(30 ug whole at 1:1000.	cell lysate). A: Hep G2. 7.5% SDS PAGE. TNFRSF25 antibody diluted
Requested From:	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale w	ithout prior written consent from LifeSpan BioSciences, Inc. Created on 9/23/2014
	© 2014 LifeSpan BioSciences