



| GPR32 Rabbit anti-Human Polyclonal Antibody - LS-B4841 - LSBio | |
|--|---|
| CatalogID: | LS-B4841 |
| Validation: | This antibody replaces catalog number LS-C109414. It has been validated for use in the following assays: IHC-P. |
| Target: | G protein-coupled receptor 32 (GPR32) |
| Synonyms: | GPR32 Antibody, G protein-coupled receptor 32 Antibody, Resolvin D1 receptor Antibody, RVDR1 Antibody |
| Family / Subfamily: | GPCR / Orphan-A |
| Host | GPR32 antibody was produced in Rabbit |
| Clonality: | Polyclonal |
| Immunogen Species: | GPR32 antibody was raised against Human |
| Antigen Type: | Synthetic peptide |
| Immunogen: | GPR32 antibody was raised against synthetic peptide containing a sequence corresponding to a region within amino acids 1 and 15 of Human GPR32. |
| Specificity: | Human GPR32. |
| Reactivity: | Human |
| Purification: | Immunoaffinity purified |
| Presentation: | 0.1 M Tris-glycine, pH 7, 10% Glycerol, 0.01% Thimerosal |
| Recommended Storage: | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Uses: | IHC - Paraffin (10 µg/ml), Western blot (1:500 - 1:3000) (Optimal dilution to be determined by the researcher) |
| Size: | 50 µl |
| Concentration: | 1 mg/ml |

Immunohistochemistry Image:




Anti-GPR32 antibody IHC of human placenta. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4841 concentration 10 ug/ml.

Immunohistochemistry Image:




Anti-GPR32 antibody IHC of human prostate. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4841 concentration 10 ug/ml.

Immunohistochemistry Image:



Anti-GPR32 antibody IHC of human breast. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4841 concentration 10 ug/ml.

Western Blot Image:



Sample (30 ug of whole cell lysate). A: H1299. 10% SDS PAGE. GPR32 antibody diluted at 1:500

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences