



SNX12 Goat anti-Human Polyclonal (C-Terminus) Antibody - LS-B4964 - LSBio	
CatalogID:	LS-B4964
Validation:	This antibody replaces catalog number LS-C55498. It has been validated for use in the following assays: IHC-P.
Target:	sorting nexin 12 (SNX12)
Synonyms:	SNX12 Antibody, Sorting nexin 12 Antibody, Sorting nexin-12 Antibody
Host	SNX12 antibody was produced in Goat
Clonality:	Polyclonal
Immunogen Species:	SNX12 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	SNX12 antibody was raised against synthetic peptide C-AIDRNYVPGKVRQ from the C-terminus of human SNX12 (NP_037478.2). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Hamster, Elephant, Bovine, Bat, Rabbit, Pig (100%); Opossum, Turkey, Chicken, Xenopus (92%); Rat, Zebrafish (85%).
Specificity:	Human SNX12.
Epitope:	C-Terminus
Reactivity:	Human, Gorilla, Gibbon, Monkey, Mouse, Bat, Bovine, Hamster, Pig, Rabbit
Predicted Reactivity:	Chicken, Xenopus
Purification:	Immunoaffinity purified
Presentation:	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.
Uses:	IHC - Paraffin (3.75 µg/ml), ELISA (1:32000) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Anti-SNX12 antibody IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4964 concentration 3.75 ug/ml.

Immunohistochemistry Image:



Anti-SNX12 antibody IHC of human breast. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B4964 concentration 3.75 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences