


**SKA2 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-B5038 - LSBio**


<b>CatalogID:</b>	LS-B5038
<b>Validation:</b>	This antibody replaces catalog number LS-C108593. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	spindle and kinetochore associated complex subunit 2 (SKA2)
<b>Synonyms:</b>	SKA2 Antibody, FAM33A Antibody, Protein FAM33A Antibody
<b>Host</b>	SKA2 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	SKA2 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	SKA2 antibody was raised against a 15 amino acid peptide from near the amino terminus of human SKA2.
<b>Specificity:</b>	Human SKA2
<b>Epitope:</b>	N-Terminus
<b>Reactivity:</b>	Human, Mouse
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.02% sodium azide
<b>Recommended Storage:</b>	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.
<b>Usage Summary:</b>	SKA2 antibody can be used for detection of SKA2 by Western blot at 0.5-1 ug/ml.
<b>Uses:</b>	IHC - Paraffin (5 µg/ml), Western blot (0.5 - 1 µg/ml), ELISA (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	1 mg/ml

**Immunohistochemistry Image:**



Anti-SKA2 antibody IHC of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5038 concentration 5 ug/ml.

**Western Blot Image:**



Western blot of SKA2 in 3T3 cell lysate with SKA2 antibody at (A) 0.5 and (B) 1 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences