


### HYAL2 Goat anti-Human Polyclonal (aa2-12) Antibody - LS-B5114 - LSBio


<b>CatalogID:</b>	LS-B5114
<b>Validation:</b>	This antibody replaces catalog number LS-C113699. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	hyaluronoglucosaminidase 2 (HYAL2)
<b>Synonyms:</b>	HYAL2 Antibody, Hyaluronidase-2 Antibody, Hyal-2 Antibody, Hyaluronidase 2 Antibody, Lung carcinoma protein 2 Antibody, LUCA2 Antibody, Lysosomal hyaluronidase Antibody, Hyaluronoglucosaminidase-2 Antibody, PH20 homolog Antibody, LuCa-2 Antibody, PH-20 homolog Antibody, Hyaluronoglucosaminidase 2 Antibody
<b>Host</b>	HYAL2 antibody was produced in Goat
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	HYAL2 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	HYAL2 antibody was raised against synthetic peptide RAGPGPTVTLAC from the N-terminus of human HYAL2 (NP_003764.3). Percent identity by BLAST analysis: Human, Gorilla (100%); Gibbon, Monkey, Marmoset (91%); Horse, Pufferfish (82%).
<b>Specificity:</b>	Human HYAL2. Reported variants NP_003764 and NP_149348 represent identical proteins.
<b>Epitope:</b>	aa2-12
<b>Reactivity:</b>	Human, Gorilla
<b>Predicted Reactivity:</b>	Gibbon, Monkey
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
<b>Recommended Storage:</b>	Store at -20°C. Minimize freezing and thawing.
<b>Uses:</b>	IHC - Paraffin (3.75 - 7.5 µg/ml) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	0.5 mg/ml

**Immunohistochemistry Image:**



Anti-HYAL2 antibody IHC of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5114 concentration 3.75 ug/ml.

**Immunohistochemistry Image:**



Anti-HYAL2 antibody IHC of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5114 concentration 3.75 ug/ml.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences