

CCR3 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-B5218 - LSBio	
CatalogID:	LS-B5218
Validation:	This antibody replaces catalog number LS-C4354. It has been validated for use in the following assays: IHC-P.
Target:	chemokine (C-C motif) receptor 3 (CCR3)
Synonyms:	CCR3 Antibody, C-C chemokine receptor type 3 Antibody, B-chemokine receptor Antibody, CD193 Antibody, CD193 antigen Antibody, Chemokine c-c motif receptor 3 Antibody, C-C chemokine receptor 3 Antibody, CKR3 Antibody, CC-CKR-3 Antibody, CCR-3 Antibody, CMKBR3 Antibody, Eosinophil eotaxin receptor Antibody, Eotaxin receptor Antibody, C-C CKR-3 Antibody, CC chemokine receptor 3 Antibody
Family / Subfamily:	GPCR / Chemokine
Host	CCR3 antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	CCR3 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	CCR3 antibody was raised against synthetic peptide, 14 aa, near the N- terminus of human CCR3 (Genbank accession No. NP_847899).
Specificity:	Recognizes human CCR3. Species cross-reactivity: mouse and rat.
Epitope:	N-Terminus
Reactivity:	Human, Mouse, Rat
Purification:	Immunoaffinity purified
Presentation:	PBS, pH 7.2, 0.02% sodium azide.
Recommended Storage:	May be stored at 4°C for short-term only. Aliquot to avoid repeated freezing and thawing. Store at -20°C. Aliquots are stable for at least 12 months
Usage Summary:	Suitable for use in Western Blot. Western Blot: 1-2 ug/ml. Positive control: Human spleen cell lysate.
Uses:	IHC - Paraffin (5 $\mu$ g/ml), Western blot (1 - 2 $\mu$ g/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:	
Anti-CCR3 antibody IHC of human skin. Immunohistochemistry of formalin-fixed, paraffin-   Structure   Anti-CCR3 antibody IHC of human skin. Immunohistochemistry of formalin-fixed, paraffin-   Structure   Structure   Anti-CCR3 antibody IHC of human skin. Immunohistochemistry of formalin-fixed, paraffin-   Structure   Structure   Antibody LS-B5218 concentration 5	
Requested From:	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
	© 2014 LifeSpan BioSciences