


**APOA1 / Apolipoprotein A 1 Rabbit anti-Mouse Polyclonal Antibody - LS-B5257 - LSBio**


<b>CatalogID:</b>	LS-B5257
<b>Validation:</b>	This antibody replaces catalog number LS-C35024. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	apolipoprotein A-I (APOA1)
<b>Synonyms:</b>	APOA1 Antibody, ApoA-I Antibody, APOAI Antibody, Apolipoprotein A-I Antibody, Apolipoprotein A1 Antibody, Apo-AI Antibody
<b>Host</b>	APOA1 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Isotype:</b>	IgG
<b>Immunogen Species:</b>	APOA1 / Apolipoprotein A 1 antibody was raised against Mouse
<b>Antigen Type:</b>	Purified protein
<b>Immunogen:</b>	APOA1 / Apolipoprotein A 1 antibody was raised against apolipoprotein AI from pooled mouse plasma high density lipoprotein.
<b>Specificity:</b>	Recognizes mouse Apo AI. Does not react well with human Apo AI. Species cross-reactivity: rat.
<b>Reactivity:</b>	Mouse, Rat
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	0.15 M sodium chloride, 1 mM EDTA, pH 7.4, 0.02% sodium azide
<b>Recommended Storage:</b>	Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.
<b>Usage Summary:</b>	Suitable for use in Radial immunodiffusion, Western Blot and ELISA.
<b>Uses:</b>	IHC - Paraffin (5 µg/ml), Western blot, ELISA, Immunodiffusion (Optimal dilution to be determined by the researcher)
<b>Size:</b>	125 µg
<b>Concentration:</b>	1 mg/ml

**Immunohistochemistry Image:**




Anti-Apolipoprotein A I antibody IHC of mouse liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5257 concentration 5 ug/ml.

**Immunohistochemistry Image:**



Anti-Apolipoprotein A I antibody IHC of mouse kidney, adipose. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5257 concentration 5 ug/ml.

**Immunohistochemistry Image:**



Anti-Apolipoprotein A I antibody IHC of mouse muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5257 concentration 5 ug/ml.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences