



LID / Harata rila	his Cook and I have an Debalanch Andheada. LO DECCO LLODia
HP / Haptoglobin Goat anti-Human Polyclonal Antibody - LS-B5968 - LSBio	
CatalogID:	LS-B5968
Validation:	This antibody replaces catalog number LS-C129547. It has been validated for use in the following assays: IHC-P.
Target:	haptoglobin (HP)
Synonyms:	HP Antibody, Binding peptide Antibody, Haptoglobin alpha(1S)-beta Antibody, Haptoglobin, beta polypeptide Antibody, Haptoglobin Antibody, Haptoglobin alpha(2FS)-beta Antibody, Haptoglobin, alpha polypeptide Antibody, HP2ALPHA2 Antibody, BP Antibody, Zonulin Antibody, HPA1S Antibody
Host	HP antibody was produced in Goat
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	HP / Haptoglobin antibody was raised against Human
Antigen Type:	Purified protein
Immunogen:	HP / Haptoglobin antibody was raised against human Haptoglobin.
Specificity:	Recognizes human haptoglobin.
Reactivity:	Human
Purification:	Immunoaffinity purified
Presentation:	PBS, pH 7.2, 0.05% sodium azide
Recommended Storage:	May be stored at 4°C for short-term only. Aliquot to avoid repeated freezing and thawing. Store at -20°C. Aliquots are stable for at least 12 months.
Usage Summary:	Suitable for use in ELISA.
Uses:	IHC - Paraffin (5 μg/ml), ELISA (Optimal dilution to be determined by the researcher
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-Haptoglobin antibody IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5968 concentration 5 ug/ml.

Immunohistochemistry Image:



Anti-Haptoglobin antibody IHC of human placenta. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B5968 concentration 5 ug/ml.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/24/2014
© 2014 LifeSpan BioSciences