



Mouse anti-Human Monoclonal (M1-C1) Antibody - LS-B6073 - LSBio
LS-B6073
This antibody replaces catalog number LS-C133139. It has been validated for use in the following assays: IHC-P.
cystatin B (stefin B) (CSTB)
CSTB Antibody, CPI-B Antibody, EPM1 Antibody, EPM1A Antibody, PME Antibody, Stefin B Antibody, Stefin-B Antibody, ULD Antibody, Cystatin b Antibody, Cystatin B (stefin B) Antibody, Cystatin-B Antibody, STFB Antibody
CSTB antibody was produced in Mouse
Monoclonal
IgG1,k
M1-C1
CSTB / Cystatin B / Stefin B antibody was raised against Human
CSTB / Cystatin B / Stefin B antibody was raised against cSTB (AAH03370.1, 1 a.a. ~ 98 a.a) full length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Human Cystatin B
Human
Protein A purified
PBS, pH 7.2
Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.
Immunohistochemistry: Formalin-fixed paraffin-embedded sections. Sandwich ELISA: Recombinant protein. Western Blot: Cell lysate, Recombinant protein.
IHC - Paraffin (5 μ g/ml), Western blot, ELISA (Optimal dilution to be determined by the researcher)
50 μg
0.5 mg/ml

Immunohistochemistry Image:




Anti-CSTB / Stefin B antibody IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B6073 concentration 5 ug/ml.

Western Blot Image:



Western blot of CSTB expression in MCF-7 cell lysate.

ELISA Image:



Detection limit for recombinant GST tagged CSTB is approximately 1 ng/ml as a capture antibody.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/24/2014
© 2014 LifeSpan BioSciences