



FLNA / Filamin A Mouse anti-Human Monoclonal (4E10-1B2) Antibody - LS-B6090 - LSBio	
<b>CatalogID:</b>	LS-B6090
<b>Validation:</b>	This antibody replaces catalog number LS-C133210. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	filamin A, alpha (FLNA)
<b>Synonyms:</b>	FLNA Antibody, ABPX Antibody, Actin binding protein 280 Antibody, Actin-binding protein 280 Antibody, Filamin A Antibody, FLN1 Antibody, FMD Antibody, Filamin-A Antibody, Filamin-1 Antibody, FLN Antibody, FLN-A Antibody, Non-muscle filamin Antibody, OPD1 Antibody, OPD2 Antibody, Alpha-filamin Antibody, NHBP Antibody, OPD Antibody, XMVD Antibody, CVD1 Antibody, Filamin A, alpha Antibody, MNS Antibody, XLVD Antibody
<b>Host</b>	FLNA antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1,k
<b>Clone Name:</b>	4E10-1B2
<b>Immunogen Species:</b>	FLNA / Filamin A antibody was raised against Human
<b>Immunogen:</b>	FLNA / Filamin A antibody was raised against fLNA (AAH14654, 1 a.a. ~ 839 a.a) full length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
<b>Specificity:</b>	Human FLNA
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein A purified
<b>Presentation:</b>	PBS, pH 7.4. Sourced in Ascites.
<b>Recommended Storage:</b>	Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.
<b>Usage Summary:</b>	Immunohistochemistry: Formalin-fixed paraffin-embedded sections. Sandwich ELISA: Recombinant protein. Western Blot: Cell lysate, Recombinant protein.
<b>Uses:</b>	IHC - Paraffin (5 µg/ml), Western blot (1:500 - 1:1000), ELISA (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	0.25 mg/ml

**Immunohistochemistry Image:**




Anti-FLNA / FMD antibody IHC of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B6090 concentration 5 ug/ml.

**Western Blot Image:**



Western blot of FLNA expression in HL-60 cell lysate.

**ELISA Image:**



Detection limit for recombinant GST tagged FLNA is approximately 0.03 ng/ml as a capture antibody.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences