



TERF2 / TRF2 Goat anti-Human Polyclonal Antibody - LS-B6437 - LSBio	
CatalogID:	LS-B6437
Validation:	This antibody replaces catalog number LS-C832. It has been validated for use in the following assays: IHC-P.
Target:	telomeric repeat binding factor 2 (TERF2)
Synonyms:	TERF2 Antibody, TRF2 Antibody, TRBF2 Antibody, TTAGGG repeat-binding factor 2 Antibody, Telomeric DNA-binding protein Antibody
Host	TERF2 antibody was produced in Goat
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	TERF2 / TRF2 antibody was raised against Human
Immunogen:	TERF2 / TRF2 antibody was raised against recombinant human TERF2.
Specificity:	Baculovirus expressed His-tagged whole length TRF2 protein was used for immunizing goat.
Reactivity:	Human, Mouse
Purification:	Protein G purified
Presentation:	PBS containing 0.05% BSA and 0.05% sodium azide
Recommended Storage:	Long term: -20°C; Short term: +4°C; Avoid freeze-thaw cycles.
Uses:	IHC - Paraffin (15 µg/ml), Western blot, Immunoprecipitation, Chromatin Immunoprecipitation (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Anti-TERF2 antibody IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B6437 concentration 15 ug/ml.

Dot Blot Image:



Immunoprecipitation (IP)/ Western blot of TRF2 in HL60 cells. Lane 1. IP with mouse anti-TRF2 antibody. Lane 2. IP with control mouse IgG. Lane 3 IP with goat anti-TRF2 antibody. Lane 4. IP with pre-immune goat Ig. TRF2 is detected as an ~66 kD protein.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences