



ZMYM3 Rabbit anti-Human Polyclonal (C-Terminus) Antibody - LS-B7028 - LSBio	
CatalogID:	LS-B7028
Validation:	This antibody replaces catalog number LS-C144311. It has been validated for use in the following assays: IHC-P.
Target:	zinc finger, MYM-type 3 (ZMYM3)
Synonyms:	ZMYM3 Antibody, DXS6673E Antibody, KIAA0385 Antibody, MYM Antibody, Zinc finger protein 261 Antibody, ZNF261 Antibody, Zinc finger MYM-type protein 3 Antibody, Zinc finger, MYM-type 3 Antibody, XFIM Antibody, ZNF198L2 Antibody
Host	ZMYM3 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	ZMYM3 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	ZMYM3 antibody was raised against a 20 amino acid peptide near the carboxy terminus of human AXIN2
Specificity:	Human ZMYM3. At least three isoforms of ZMYM3 are known to exist; this antibody will detect all three. ZMYM3 antibody is predicted to not cross-react with other ZMYM protein family members.
Epitope:	C-Terminus
Reactivity:	Human, Mouse
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.02% sodium azide
Recommended Storage:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.
Uses:	IHC - Paraffin (10 µg/ml), Western blot (1 - 2 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:




Anti-ZMYM3 antibody IHC of human uterus. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7028 concentration 10 ug/ml.

Immunohistochemistry Image:




Anti-ZMYM3 antibody IHC of human brain, cortex. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7028 concentration 10 ug/ml.

Immunofluorescence Image:



Immunofluorescence of ZMYM3 in human brain tissue with ZMYM3 antibody at 20 ug/ml.

Western Blot Image:



Western blot analysis of ZMYM3 in human brain tissue lysate with ZMYM3 antibody at 1 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences