



| HAUSP / USP7 Rabbit anti-Human Polyclonal (aa1050-1100) Antibody - LS-B7235 - LSBio |   |
|---|---|
| CatalogID:  | LS-B7235  |
| Validation:   | This antibody replaces catalog number LS-C148553. It has been validated for use in the following assays: IHC-P.   |
| Target:   | ubiquitin specific peptidase 7 (herpes virus-associated) (USP7)   |
| Synonyms:   | USP7 Antibody, Deubiquitinating enzyme 7 Antibody, HAUSP Antibody, TEF1 Antibody, Ubiquitin specific protease 7 Antibody, Ubiquitin thioesterase 7 Antibody |
| Family / Subfamily:   | Protease / Cysteine C19   |
| Host  | USP7 antibody was produced in Rabbit  |
| Clonality:  | Polyclonal  |
| Immunogen Species:  | HAUSP / USP7 antibody was raised against Human  |
| Antigen Type:   | Synthetic peptide   |
| Immunogen:  | HAUSP / USP7 antibody was raised against a portion of amino acids 1050-1100 of human USP7 protein was used as the immunogen.                                |
| Specificity:  | Human USP7  |
| Epitope:  | aa1050-1100   |
| Reactivity:   | Human, Chimpanzee, Mouse, Rat, Dog, Horse, Chicken, Macaque   |
| Purification:   | Protein A purified  |
| Presentation:   | PBS, 0.05% BSA, 0.05% sodium azide  |
| Recommended Storage:  | Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.  |
| Uses:   | IHC - Paraffin (10 μg/ml), Western blot (1 - 2 μg/ml) (Optimal dilution to be determined by the researcher)   |
| Size:   | 50 μg   |
| Concentration:  | 0.5 mg/ml   |

## Immunohistochemistry Image:




Anti-USP7 antibody IHC of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7235 concentration 10 ug/ml.

## Immunohistochemistry Image:



Anti-USP7 antibody IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody LS-B7235 concentration 10 ug/ml.

## Western Blot Image:



Western blot of USP7 protein in MCF7 cell lysate in the 1) absence and 2) presence of immunizing peptide using LS-B7235 at 1.0 ug/ml. Goat anti-rabbit Ig HRP secondary antibody, and PicoTect ECL substrate solution, were used for this test.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014 © 2014 LifeSpan BioSciences