


BAG5 Pa	abbit anti-Human Polyclonal Antibody - LS-B745 - LSBio
CatalogID:	LS-B745
Validation:	This antibody replaces catalog number LS-C26788. It has been validated for use in the following assays: IHC.
Target:	BCL2-associated athanogene 5 (BAG5)
Synonyms:	BAG5 Antibody, BAG-5 Antibody, KIAA0873 Antibody, Bcl-2-associated athanogene 5 Antibody, BCL2-associated athanogene 5 Antibody
Host	BAG5 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	BAG5 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	BAG5 antibody was raised against synthetic peptide from human BAG5.
Specificity:	Peptide from human BAG-5
Reactivity:	Human
Purification:	Purified
Presentation:	PBS, 0.08% sodium azide.
Recommended Storage:	Store at -20°C. Aliquot to avoid freeze/thaw cycles.
Usage Summary:	Immunohistochemistry: LS-B745 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-B745 was determined to be 20 ug/ml.
Uses:	IHC - Paraffin (20 μ g/ml), Western blot (Optimal dilution to be determined by the researcher)
Size:	50 μg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-BAG5 antibody IHC of human breast. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody LS-B745 concentration 20 ug/ml.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/24/2014
© 2014 LifeSpan BioSciences