



Validation: This antibody replaces catalog number LS-C48875. It has been validated for use in the following assays: IHC-P. Target: vascular endothelial growth factor A (VEGFA) Synonyms: VEGFA Antibody, VPF Antibody, Vascular permeability factor Antibody, VEGF Antibody, VEGF-A Antibody, MVCD1 Antibody Family / Subfamily: PDGF / not assigned-PDGF Host VEGFA antibody was produced in Rabbit Clonality: Polyclonal Isotype: IgG Immunogen Species: VEGFA / VEGF antibody was raised against Human Antigen Type: Recombinant protein Immunogen: VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Reactivity: Human Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg		
Validation: This antibody replaces catalog number LS-C48875. It has been validated for use in the following assays: IHC-P. Target: vascular endothelial growth factor A (VEGFA) Synonyms: VEGFA Antibody, VPF Antibody, Vascular permeability factor Antibody, VEGF Antibody, VEGF Antibody, MVCD1 Antibody Family / Subfamily: PDGF / not assigned-PDGF Host VEGFA antibody was produced in Rabbit Clonality: Polyclonal Isotype: IgG Immunogen Species: VEGFA / VEGF antibody was raised against Human Antigen Type: Recombinant protein Immunogen: VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Reactivity: Human Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	VEGFA / VEGF Rabbit anti-Human Polyclonal Antibody - LS-B7742 - LSBio	
the following assays: IHC-P. Target: vascular endothelial growth factor A (VEGFA) Synonyms: VEGFA Antibody, VPF Antibody, Vascular permeability factor Antibody, VEGF Antibody, VEGF-A Antibody, MVCD1 Antibody Family / Subfamily: PDGF / not assigned-PDGF Host VEGFA antibody was produced in Rabbit Clonality: Polyclonal Isotype: IgG Immunogen Species: VEGFA / VEGF antibody was raised against Human Antigen Type: Recombinant protein VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Human Reactivity: Human Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 µg/ml), Western blot (0.5 - 1 µg/ml), ELISA (2 - 3 µg/ml), Neutralization (5 - 10 µg/ml) (Optimal dilution to be determined by the researcher) Size: 50 µg	CatalogID:	LS-B7742
Synonyms: VEGFA Antibody, VPF Antibody, Vascular permeability factor Antibody, VEGF Antibody, VEGF-A Antibody, MVCD1 Antibody PDGF / not assigned-PDGF VEGFA antibody was produced in Rabbit Clonality: Polyclonal Isotype: IgG Immunogen Species: VEGFA / VEGF antibody was raised against Human Antigen Type: Recombinant protein VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Reactivity: Human Purification: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Validation:	
Antibody, VEGF-A Antibody, MVCD1 Antibody Family / Subfamily: PDGF / not assigned-PDGF VEGFA antibody was produced in Rabbit Clonality: Polyclonal Isotype: IgG Immunogen Species: VEGFA / VEGF antibody was raised against Human Antigen Type: Recombinant protein VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Reactivity: Human Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Target:	vascular endothelial growth factor A (VEGFA)
VEGFA antibody was produced in Rabbit Clonality: Polyclonal Isotype: IgG Immunogen Species: VEGFA / VEGF antibody was raised against Human Antigen Type: Recombinant protein Immunogen: VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Reactivity: Human Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 µg/ml), Western blot (0.5 - 1 µg/ml), ELISA (2 - 3 µg/ml), Neutralization (5 - 10 µg/ml) (Optimal dilution to be determined by the researcher) Size: 50 µg	Synonyms:	VEGFA Antibody, VPF Antibody, Vascular permeability factor Antibody, VEGF Antibody, VEGF-A Antibody, MVCD1 Antibody
Polyclonal Polyclonal IgG IgG	Family / Subfamily:	PDGF / not assigned-PDGF
IgG Immunogen Species: VEGFA / VEGF antibody was raised against Human Antigen Type: Recombinant protein VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Human Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Host	VEGFA antibody was produced in Rabbit
Immunogen Species: VEGFA / VEGF antibody was raised against Human Recombinant protein VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Human Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Clonality:	Polyclonal
Antigen Type: Recombinant protein Immunogen: VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Reactivity: Human Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Isotype:	IgG
Immunogen: VEGFA / VEGF antibody was raised against e. coli expressed recombinant human VEGF. Reactivity: Human Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Immunogen Species:	VEGFA / VEGF antibody was raised against Human
VEGF. Reactivity: Human Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Antigen Type:	Recombinant protein
Purification: Affinity purified Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Immunogen:	
Presentation: PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Reactivity:	Human
Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Purification:	Affinity purified
Uses: IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Presentation:	PBS, pH 7.2, 30% glycerol, 0.01% Thimerosal.
Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher) Size: 50 μg	Recommended Storage:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.
	Uses:	IHC - Paraffin (5 μg/ml), Western blot (0.5 - 1 μg/ml), ELISA (2 - 3 μg/ml), Neutralization (5 - 10 μg/ml) (Optimal dilution to be determined by the researcher)
Concentration: 0.5 mg/ml	Size:	50 µg
	Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Anti-VEGF antibody IHC of human lung, vascular endothelium. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7742 dilution 5 ug/ml.

Western Blot Image:



Western blot of VEGF antibody LS-B7742.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences