



CatalogID:	LS-B7941
Validation:	This antibody replaces catalog number LS-C148362. It has been validated for use in the following assays: IHC-P.
Target:	dishevelled-binding antagonist of beta-catenin 1 (DACT1)
Synonyms:	DACT1 Antibody, DAPPER Antibody, DAPPER1 Antibody, HDPR1 Antibody, HNG3 Antibody, FRODO Antibody, THYEX3 Antibody, Dapper homolog 1 Antibody, DPR1 Antibody
Host	DACT1 antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	DACT1 / DAPPER antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	DACT1 / DAPPER antibody was raised against a portion of amino acids 725-775 c human Dapper homolog 1 was used as the immunogen.
Specificity:	Human DACT1
Epitope:	aa725-775
Reactivity:	Human, Chimpanzee, Mouse, Rat, Chicken, Xenopus, Zebrafish
Purification:	Protein G purified
Presentation:	PBS, 0.05% BSA, 0.05% sodium azide
Recommended Storage:	Store at 4°C, stable for 6 months. For long term storage, aliquot and store at - 20°C.
Uses:	IHC - Paraffin (10 μ g/ml), Western blot (0.5 - 1 μ g/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Anti-DACT1 / DAPPER antibody IHC of human brain, cortex neurons. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7941 dilution 10 ug/ml.

Western Blot Image:



Western blot of Dapper homolog 1inbrain lysate. Lane1 shows pre-immune sera. Lanes 2, 3 and 4 show LS-B7941 tested on human brain (1 ug/ml), mouse brain (0.5 ug/ml) and rat brain (0.5 ug/ml) lysate.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only Not for resale without prior written consent from LifeSpan BioSciences, Inc. Created on 9/24/2014 © 2014 LifeSpan BioSciences