



| H3F3A Rabbit anti-Human Polyclonal (aa100-150) Antibody - LS-B7958 - LSBio | |
|--|---|
| CatalogID: | LS-B7958 |
| Validation: | This antibody replaces catalog number LS-C148509. It has been validated for use in the following assays: IHC-P. |
| Target: | H3 histone, family 3A (H3F3A) |
| Synonyms: | H3F3A Antibody, H3.3A Antibody, H3 histone, family 3A Antibody, Histone H3.3 Antibody |
| Host | H3F3A antibody was produced in Rabbit |
| Clonality: | Polyclonal |
| Isotype: | IgG |
| Immunogen Species: | H3F3A antibody was raised against Human |
| Antigen Type: | Synthetic peptide |
| Immunogen: | H3F3A antibody was raised against a portion of amino acids 100-150 of human Histone H3.3 was used as the immunogen. |
| Specificity: | Human H3F3A |
| Epitope: | aa100-150 |
| Reactivity: | Human, Mouse, Bovine, Horse, Opossum, Chicken, Drosophila |
| Purification: | Protein A purified |
| Presentation: | PBS, 0.05% BSA, 0.05% sodium azide |
| Recommended Storage: | Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C. |
| Uses: | IHC - Paraffin (10 µg/ml), Western blot (0.25 - 0.5 µg/ml) (Optimal dilution to be determined by the researcher) |
| Size: | 50 µg |
| Concentration: | 0.5 mg/ml |

Immunohistochemistry Image:



Anti-H3F3A antibody IHC of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7958 dilution 10 ug/ml.

Western Blot Image:



Western blot of Histone H3.3 in 293 cell lysate in the 1) absence and 2) presence of immunizing peptide and 3) NIH 3T3 cell lysate using LS-B7958 at 0.25 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences