



NUP35 / NUP53 Rabbit anti-Human Polyclonal (aa50-100) Antibody - LS-B7978 - LSBio		
CatalogID:	LS-B7978	
Validation:	This antibody replaces catalog number LS-C148561. It has been validated for use in the following assays: IHC-P.	
Target:	nucleoporin 35kDa (NUP35)	
Synonyms:	NUP35 Antibody, 35 kDa nucleoporin Antibody, Mitotic phosphoprotein 44 Antibody, MP-44 Antibody, Nucleoporin Nup35 Antibody, Nucleoporin NUP53 Antibody, Nucleoporin 35kDa Antibody, MP44 Antibody, NP44 Antibody, NUP53 Antibody	
Host	NUP35 antibody was produced in Rabbit	
Clonality:	Polyclonal	
Immunogen Species:	NUP35 / NUP53 antibody was raised against Human	
Antigen Type:	Synthetic peptide	
Immunogen:	NUP35 / NUP53 antibody was raised against a portion of amino acids 50-100 of human NUP35 was used as the immunogen.	
Specificity:	Human NUP35 / NUP53	
Epitope:	aa50-100	
Reactivity:	Human, Chimpanzee, Mouse, Rat, Bovine, Dog, Horse	
Purification:	Immunoaffinity purified	
Presentation:	PBS, 0.05% BSA, 0.05% sodium azide	
Recommended Storage:	Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.	
Uses:	IHC - Paraffin (10 μg/ml), Western blot (1 - 2 μg/ml) (Optimal dilution to be determined by the researcher)	
Size:	50 μg	
Concentration:	0.5 mg/ml	

## Immunohistochemistry Image:



Anti-MP-44 / NUP53 antibody IHC of human skin, epidermis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7978 dilution 10 ug/ml.

## Western Blot Image:



Western blot of NUP35 in human liver lysate in the 1) absence and 2) presence of immunizing peptide using LS-B7978 at 1.0 ug/ml. Goat anti-rabbit lg HRP secondary antibody, and PicoTect ECL substrate solution, were used for this test.

Requested From:	Japan
nequested i ioiii.	Japai

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences