


ZBTB2 Rabbit anti-Human Polyclonal (aa450-500) Antibody - LS-B7997 - LSBio


CatalogID:	LS-B7997
Validation:	This antibody replaces catalog number LS-C148692. It has been validated for use in the following assays: IHC-P.
Target:	zinc finger and BTB domain containing 2 (ZBTB2)
Synonyms:	ZBTB2 Antibody, BA351K16.2 Antibody, KIAA1483 Antibody, ZNF437 Antibody
Host	ZBTB2 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	ZBTB2 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	ZBTB2 antibody was raised against a portion of amino acids 450-500 of human ZBTB2 was used as immunogen.
Specificity:	Human ZBTB2
Epitope:	aa450-500
Reactivity:	Human, Monkey, Mouse, Rat, Dog, Horse, Opossum
Purification:	Protein A purified
Presentation:	PBS, 0.05% BSA, 0.05% sodium azide
Recommended Storage:	Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.
Uses:	IHC - Paraffin (5 - 10 µg/ml), Western blot (2 - 5 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:




Anti-ZBTB2 antibody IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7997 dilution 5-10 ug/ml.

Immunohistochemistry Image:



Anti-ZBTB2 antibody IHC of human breast. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B7997 dilution 5-10 ug/ml.

Western Blot Image:



Western blot of ZBTB2 in human brain lysate in the 1) absence and 2) presence of immunizing peptide using LS-B7997 at 3 ug/ml. Goat anti-rabbit Ig HRP secondary antibody, and PicoTect ECL substrate solution, were used for this test.

Requested From:	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/24/2014	
© 2014 LifeSpan BioSciences	