


BAG5 Goat anti-Human Polyclonal (N-Terminus) Antibody - LS-B8290 - LSBio	
CatalogID:	LS-B8290
Validation:	This antibody replaces catalog number LS-C54568. It has been validated for use in the following assays: IHC-P.
Target:	BCL2-associated athanogene 5 (BAG5)
Synonyms:	BAG5 Antibody, BAG-5 Antibody, KIAA0873 Antibody, Bcl-2-associated athanogene 5 Antibody, BCL2-associated athanogene 5 Antibody
Host	BAG5 antibody was produced in Goat
Clonality:	Polyclonal
Immunogen Species:	BAG5 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	BAG5 antibody was raised against synthetic peptide DMGNQHPSISRLQ-C from the N-terminus of human BAG5 (NP_001015049.1; NP_004864.1; NP_001015048.1). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Horse (100%); Bovine, Opossum (92%); Turkey, Chicken, Lizard (85%).
Specificity:	Human BAG5. Variants (NP_004864.1; NP_001015048.1) encode the same isoform.
Epitope:	N-Terminus
Reactivity:	Human, Gorilla, Gibbon, Monkey, Mouse, Rat, Dog, Hamster, Horse
Predicted Reactivity:	Bovine
Purification:	Immunoaffinity purified
Presentation:	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.
Uses:	IHC - Paraffin (3.75 µg/ml), ELISA (1:64000) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Anti-BAG5 antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-B8290 dilution 3.75 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences