



WDR5 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-B8824 - LSBio	
CatalogID:	LS-B8824
Validation:	This antibody replaces catalog number LS-C153693. It has been validated for use in the following assays: IHC-P.
Target:	WD repeat domain 5 (WDR5)
Synonyms:	WDR5 Antibody, BIG3 Antibody, BIG-3 Antibody, SWD3 Antibody, WD repeat- containing protein 5 Antibody, BMP2-induced 3-kb gene protein Antibody, WD repeat domain 5 Antibody, WD-repeat protein 5 Antibody
Host	WDR5 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	WDR5 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	WDR5 antibody was raised against a 19 amino acid peptide near the amino terminus of human WDR5.
Specificity:	Human WDR5. WDR5 antibody is human specific. WDR5 antibody is predicted to not cross-react with other WDR family members.
Epitope:	N-Terminus
Reactivity:	Human
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.02% sodium azide
Recommended Storage:	Store at -20°C. Aliquot to avoid freeze/thaw cycles.
Usage Summary:	WDR5 antibody can be used for detection of WDR5 by Western blot at 1-2 ug/ml.
Uses:	IHC - Paraffin (5 $\mu$ g/ml), Western blot (1 - 2 $\mu$ g/ml) (Optimal dilution to be determine by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

## Immunohistochemistry Image:



Human Brain, Cortex: Formalin-Fixed, Paraffin-Embedded (FFPE)

## Immunofluorescence Image:



Immunofluorescence of WDR5 in 293 cells with WDR5 antibody at 20 ug/ml.

## Immunocytochemistry Image:



Immunocytochemistry of WDR5 in 293 cells with WDR5 antibody at 5 ug/ml.

## Western Blot Image:

