



NFIA / Nuclear Factor 1 Rabbit anti-Human Polyclonal (aa469-498) Antibody - LS-B9077 - LSBio	
<b>CatalogID:</b>	LS-B9077
<b>Validation:</b>	This antibody replaces catalog number LS-C164846. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	nuclear factor I/A (NFIA)
<b>Synonyms:</b>	NFIA Antibody, CTF Antibody, NF1-A Antibody, NF-I/A Antibody, NFI-L Antibody, Nuclear Factor 1 Antibody, TGGCA-binding protein Antibody, NFI-A Antibody, Nuclear factor 1 A-type Antibody, KIAA1439 Antibody, Nuclear factor 1/A Antibody, Nuclear factor I/A Antibody
<b>Host</b>	NFIA antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	NFIA / Nuclear Factor 1 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	NFIA / Nuclear Factor 1 antibody was raised against kLH-conjugated synthetic peptide from C-terminal region of human NFIA.
<b>Specificity:</b>	Human NFIA / Nuclear Factor 1
<b>Epitope:</b>	aa469-498
<b>Reactivity:</b>	Human
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.09% sodium azide
<b>Recommended Storage:</b>	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.
<b>Uses:</b>	IHC - Paraffin (5 µg/ml), Immunofluorescence (1:10 - 1:50), Western blot (1:1000) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	200 µl

**Immunohistochemistry Image:**



Human Skin, Epidermis: Formalin-Fixed, Paraffin-Embedded (FFPE)

**Western Blot Image:**



NFIA Antibody (C-term) Western blot of HepG2 cell line lysates (35 ug/lane). This demonstrates the NFIA antibody detected the NFIA protein (arrow).

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences