



IGJ Mouse anti-Human Monoclonal (3H7) Antibody - LS-B9309 - LSBio	
<b>CatalogID:</b>	LS-B9309
<b>Validation:</b>	This antibody replaces catalog number LS-C173690. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	immunoglobulin J polypeptide, linker protein for immunoglobulin alpha and mu polypeptides (IGJ)
<b>Synonyms:</b>	IGJ Antibody, IGCJ Antibody, Immunoglobulin J chain Antibody, IgJ chain Antibody, JCH Antibody
<b>Host</b>	IGJ antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Clone Name:</b>	3H7
<b>Immunogen Species:</b>	IGJ antibody was raised against Human
<b>Antigen Type:</b>	Recombinant protein
<b>Immunogen:</b>	IGJ antibody was raised against full length human recombinant protein of human IGJ(NP_653247) produced in HEK293T cell.
<b>Specificity:</b>	Human IGJ
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein A/G purified
<b>Presentation:</b>	PBS, pH 7.3, 1% BSA, 50% glycerol, 0.02% sodium azide
<b>Recommended Storage:</b>	Store at -20°C. Minimize freezing and thawing.
<b>Uses:</b>	IHC - Paraffin (10 µg/ml), Western blot (1:2000) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µl
<b>Concentration:</b>	0.43 mg/ml

**Immunohistochemistry Image:**



Human Breast: Formalin-Fixed, Paraffin-Embedded (FFPE)

**Western Blot Image:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY IGJ (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-IGJ.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences