


ZDHHC17 Goat anti-Human Polyclonal (C-Terminus) Antibody - LS-B9497 - LSBio

CatalogID:	LS-B9497
Validation:	This antibody replaces catalog number LS-C54965. It has been validated for use in the following assays: IHC-P.
Target:	zinc finger, DHHC-type containing 17 (ZDHHC17)
Synonyms:	ZDHHC17 Antibody, HIP-3 Antibody, HYPH Antibody, Huntingtin yeast partner H Antibody, KIAA0946 Antibody, HIP-14 Antibody, HIP14 Antibody, Palmitoyltransferase ZDHHC17 Antibody, DHHC-17 Antibody, HIP3 Antibody
Host	ZDHHC17 antibody was produced in Goat
Clonality:	Polyclonal
Immunogen Species:	ZDHHC17 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	ZDHHC17 antibody was raised against synthetic peptide C-YDQISGSGYQLV from the C-terminus of human ZDHHC17 (NP_056151.2). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Bovine, Dog, Bat, Horse, Rabbit, Pig, Opossum, Platypus (100%); Turkey, Chicken, Xenopus, Stickleback, Pufferfish, Zebrafish (92%); Lizard (83%).
Specificity:	Human ZDHHC17.
Epitope:	C-Terminus
Reactivity:	Human, Gorilla, Gibbon, Monkey, Mouse, Rat, Bat, Bovine, Dog, Hamster, Horse, Pig, Rabbit
Purification:	Immunoaffinity purified
Presentation:	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.
Uses:	IHC - Paraffin (5 µg/ml), Western blot (1:8000) & (1 - 3 µg/ml), ELISA (1:8000) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Human Testis: Formalin-Fixed, Paraffin-Embedded (FFPE)

Western Blot Image:



Antibody (1 ug/ml) staining of Mouse Brain lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences