



CDKN2D / p19 INK4d Rabbit anti-Human Polyclonal (aa22-51) Antibody - LS-B9902 - LSBio	
CatalogID:	LS-B9902
Validation:	This antibody replaces catalog number LS-C163309. It has been validated for use in the following assays: IHC-P.
Target:	cyclin-dependent kinase inhibitor 2D (p19, inhibits CDK4) (CDKN2D)
Synonyms:	CDKN2D Antibody, CDK inhibitor p19INK4d Antibody, INK4D Antibody, p19 Antibody, p19 INK4d Antibody, p19-INK4D Antibody
Host	CDKN2D antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	CDKN2D / p19 INK4d antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	CDKN2D / p19 INK4d antibody was raised against kLH-conjugated synthetic peptide from N-terminal region of human p19.
Specificity:	Human CDKN2D / p19 INK4d
Epitope:	aa22-51
Reactivity:	Human, Mouse
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.09% sodium azide
Recommended Storage:	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.
Uses:	IHC - Paraffin (1:10 - 1:100), Western blot (1:1000), Flow Cytometry (1:10 - 1:50) (Optimal dilution to be determined by the researcher)
Size:	200 µl

Immunohistochemistry Image:




Human Spleen: Formalin-Fixed, Paraffin-Embedded (FFPE)

Flow Cytometry Image:



p19 Antibody (N-term) flow cytometry of HeLa cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Western Blot Image:



Western blot of p19 Antibody (N-term) in mouse testis tissue lysates (35 ug/lane). p19 (arrow) was detected using the purified Pab.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences