


CD0 Mayaa anti Human	Managland (FITC) (SNA/C2 2A2) Antibady LC C40C040 LCDia
	Monoclonal (FITC) (SN4/C3-3A2) Antibody - LS-C106040 - LSBio
CatalogID:	LS-C106040
Target:	CD9 molecule
Synonyms:	CD9 Antibody, 5H9 antigen Antibody, BA2 Antibody, BA-2/p24 antigen Antibody, CD9 antigen Antibody, CD9 antigen (p24) Antibody, DRAP-27 Antibody, MIC3 Antibody, MRP-1 Antibody, Leukocyte antigen MIC3 Antibody, Tetraspanin-29 Antibody, TSPAN29 Antibody, BTCC-1 Antibody, CD9 molecule Antibody, Motility related protein-1 Antibody, Motility-related protein Antibody, TSPAN-29 Antibody
Family / Subfamily:	Tetraspan / not assigned-Tetraspan
Host	CD9 antibody was produced in Mouse
Clonality:	Monoclonal
Isotype:	IgG1
Clone Name:	SN4/C3-3A2
Conjugations:	Fluorescein (FITC)
Immunogen Species:	CD9 antibody was raised against Human
Immunogen:	CD9 antibody was raised against human CD9
Reactivity:	Human
Purification:	Affinity purified
Presentation:	PBS, pH 7.2, <=0.09% sodium azide, BSA and/or gelatin
Recommended Storage:	Store at +4°C. Do not freeze. Product is photosensitive and should be protected from light.
Usage Summary:	This SN4 (SN4 C3-3A2) antibody has been pre-titrated and tested by flow cytometric analysis of normal human platelets. This can be used at 20 ul (0.125 ug)/per test. A test is defined as the amount (ug)/test of antibody that will stain a cell sample in a final volume of 100 ul. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test.
Uses:	Flow Cytometry (Optimal dilution to be determined by the researcher)
Size:	25 tst or 100 tst

Flow Cytometry Image:



Staining of normal human platelets with FITC Mouse IgG1, K isotype control (open histogram) or FITC anti-human CD9 (SN4) (colored histogram). Total viable cells were used for analysis.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/24/2014
© 2014 LifeSpan BioSciences