

CatalogID:	LS-C10775
Target:	toll-like receptor 8 (TLR8)
Synonyms:	TLR8 Antibody, CD288 Antibody, Toll-like receptor 8 Antibody, CD288 antigen Antibody
Family / Subfamily:	Toll-like Receptor / not assigned-Toll-like Receptor
Host	TLR8 antibody was produced in Mouse
Clonality:	Monoclonal
Isotype:	lgG1
Conjugations:	Phycoerythrin (PE)
Immunogen Species:	TLR8 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	TLR8 antibody was raised against kLH-conjugated synthetic peptide of human TLR8.
Specificity:	Recognizes human TLR8 (Toll Like Receptor 8) (PE).
Reactivity:	Human
Purification:	Protein G purified
Presentation:	PBS, 0.05% BSA, 0.02% sodium azide.
Recommended Storage:	Store at +4°C. Do not freeze. Avoid prolonged exposure to light
Usage Summary:	Suitable for use in Flow Cytometry, Western Blot. Flow Cytometry: 2-5 ug/1 x 10 cells. Ramos cells can be used as a positive control in flow cytometry. Western Blot: 1-3 ug/ml. Whole cell lysate from Ramos cells can be used as positive control and a protein of approximate molecular weight of 120kD should be detected in western blotting.
Uses:	Western blot (1 - 3 µg/ml), Flow Cytometry (Optimal dilution to be determined by the researcher)
Size:	100 µg
Concentration:	0.5 mg/ml
Requested From:	Japan
La	boratory Reagent For In Vitro Research Use Only
Not for resale	without prior written consent from LifeSpan BioSciences, Inc.
	Created on 9/24/2014