

| | LS-C112509 |
|----------------------|--|
| Target: | integrin, alpha X (complement component 3 receptor 4 subunit) (ITGAX) |
| Synonyms: | ITGAX Antibody, CD11c antigen Antibody, Integrin alpha-X Antibody, Leu M5, alpha subunit Antibody, p150 95 integrin alpha chain Antibody, SLEB6 Antibody, CD11C Antibody, Leu M5 Antibody |
| Family / Subfamily: | Integrin / not assigned-Integrin |
| Host | ITGAX antibody was produced in Mouse |
| Clonality: | Monoclonal |
| lsotype: | lgG1 |
| Clone Name: | BU15 |
| Conjugations: | Fluorescein (FITC) |
| Immunogen Species: | ITGAX / CD11c antibody was raised against Human |
| Immunogen: | ITGAX / CD11c antibody was raised against dendritic cells of synovial fluid. |
| Specificity: | The antibody BU15 reacts with CD11c (alphaX, p150), a 150 kD integrin expressed mainly on dendritic cells and tissue macrophages. HLDA III; WS Code M 256. HLDA V; WS Code AS S143. HLDA VI; WS Code AS Ref.6. |
| Reactivity: | Human, Monkey, Dog |
| Purification: | Protein A purified |
| Presentation: | 15 mM sodium azide, 0.2% BSA, PBS |
| Recommended Storage: | Store at +4°C. Do not freeze. Product is photosensitive and should be protected from light. |
| Usage Summary: | The reagent is designed for Flow Cytometry analysis of human blood cells using 20 ul reagent / 100 ul of whole blood or 10^6 cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests. |
| Uses: | Flow Cytometry (Optimal dilution to be determined by the researcher) |
| Size: | 100 tst |
| Requested From: | Japan |
| La | boratory Reagent For In Vitro Research Use Only |
| Not for resale | without prior written consent from LifeSpan BioSciences, Inc. Created on 9/24/2014 |