

CatalogID:	LS-C112528
Target:	CD99 molecule
Synonyms:	CD99 Antibody, 12E7 Antibody, CD99 antigen Antibody, MIC2X Antibody, MIC2 Antibody, Surface antigen MIC2 Antibody, MIC2Y Antibody, MSK5X Antibody, Protein MIC2 Antibody, T-cell surface glycoprotein E2 Antibody, CD99 molecule Antibody, E2 antigen Antibody, HBA71 Antibody
Host	CD99 antibody was produced in Mouse
Clonality:	Monoclonal
Isotype:	IgM
Clone Name:	MEM-131
Conjugations:	Phycoerythrin (PE)
Immunogen Species:	CD99 antibody was raised against Human
Immunogen:	CD99 antibody was raised against hPB-ALL human peripheral blood leukemia T-cell line.
Specificity:	The antibody MEM-131 reacts with CD99R, an epitope restricted to a subset of CD99 molecule expressed on myeloid cells, NK cells and T lymphocytes. HLDA V; WS Code AS S020. HLDA V; WS Code T T-E2.02. HLDA V; WS Code T T-017.
Reactivity:	Human
Purification:	Precipitation
Presentation:	15 mM sodium azide, 0.2% BSA, PBS
Recommended Storage:	Store at +4°C. Do not freeze. Product is photosensitive and should be protected from light.
Usage Summary:	The reagent is designed for Flow Cytometry analysis of human blood cells using 20 ul reagent / 100 ul of whole blood or 10^6 cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests.
Uses:	Flow Cytometry (Optimal dilution to be determined by the researcher)
Size:	100 tst
Requested From:	Japan
La	boratory Reagent For In Vitro Research Use Only
Not for resale	without prior written consent from LifeSpan BioSciences, Inc.
	Created on 9/24/2014