

CD48 Mouse anti-Human Monoclonal (PE) (MEM-102) Antibody - LS-C112617 - LSBio

CatalogID:	LS-C112617
Target:	CD48 molecule
Synonyms:	CD48 Antibody, BCM1 Antibody, BCM1 surface antigen Antibody, BLAST Antibody, BLAST1 Antibody, CD48 molecule Antibody, MEM-102 Antibody, MCD48 Antibody, SLAMF2 Antibody, CD48 antigen Antibody, HCD48 Antibody, Leukocyte antigen MEM-102 Antibody, TCT.1 Antibody
Host	CD48 antibody was produced in Mouse
Clonality:	Monoclonal
Isotype:	IgG1
Clone Name:	MEM-102
Conjugations:	Phycoerythrin (PE)
Immunogen Species:	CD48 antibody was raised against Human
Antigen Type:	Cells
Immunogen:	CD48 antibody was raised against raji human Burkitt's lymphoma cell line.
Specificity:	The antibody MEM-102 reacts with CD48 antigen (Blast-1), a 40-47 kD GPI-anchored membrane protein (immunoglobulin supergene family) widely expressed on hematopoietic cells; it is negative on granulocytes, platelets and erythrocytes. HLDA V; WS Code AS S014.
Reactivity:	Human, Primate
Purification:	Protein A purified
Presentation:	15 mM sodium azide, 0.2% BSA, PBS
Recommended Storage:	Store at +4°C. Do not freeze. Product is photosensitive and should be protected from light.
Usage Summary:	The reagent is designed for Flow Cytometry analysis of human blood cells using 20 ul reagent / 100 ul of whole blood or 10 ⁶ cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests.
Uses:	Flow Cytometry (Optimal dilution to be determined by the researcher)
Size:	100 tst
Requested From:	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences