



MYC / c-Myc Mouse anti-Human Monoclonal (3F2) Antibody - LS-C114300 - LSBio			
CatalogID:	LS-C114300		
Target:	v-myc avian myelocytomatosis viral oncogene homolog		
Synonyms:	MYC Antibody, BHLHe39 Antibody, C-Myc Antibody, MRTL Antibody, Myc proto- oncogene protein Antibody, Proto-oncogene c-Myc Antibody, Rats1 Antibody, Transcription factor p64 Antibody, v-myc Antibody		
Host	MYC antibody was produced in Mouse		
Clonality:	Monoclonal		
Isotype:	IgG2a		
Clone Name:	3F2		
Immunogen Species:	MYC / c-Myc antibody was raised against Human		
Antigen Type:	Recombinant protein		
Immunogen:	MYC / c-Myc antibody was raised against full length human recombinant protein of human Myc (NP_002458) produced in E. coli.		
Specificity:	Human c-Myc		
Reactivity:	Human		
Purification:	Protein A/G purified		
Presentation:	PBS, pH 7.3, 1% BSA, 50% glycerol, 0.02% sodium azide		
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.		
Usage Summary:	Concentration: 0.5-1.0 mg/ml (Lot dependent)		
Uses:	IHC - Paraffin (1:50), Immunofluorescence (1:100), Western blot (1:1000) (Optimal dilution to be determined by the researcher)		
Size:	100 µl		




IHC of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-MYC mouse monoclonal antibody.

# Immunohistochemistry Image:




IHC of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-MYC mouse monoclonal antibody.




IHC of paraffin-embedded Carcinoma of Human pancreas tissue using anti-MYC mouse monoclonal antibody.

# Immunohistochemistry Image:




IHC of paraffin-embedded Human pancreas tissue using anti-MYC mouse monoclonal antibody.




IHC of paraffin-embedded Human liver tissue using anti-MYC mouse monoclonal antibody.

## Immunohistochemistry Image:




IHC of paraffin-embedded Human endometrium tissue using anti-MYC mouse monoclonal antibody.




IHC of paraffin-embedded Carcinoma of Human kidney tissue using anti-MYC mouse monoclonal antibody.

# Immunohistochemistry Image:




IHC of paraffin-embedded Human thyroid tissue using anti-MYC mouse monoclonal antibody.




IHC of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-MYC mouse monoclonal antibody.

## Immunofluorescence Image:




Immunofluorescent staining of HeLa cells using anti-MYC mouse monoclonal antibody.

#### Immunofluorescence Image:




Immunofluorescent staining of HeLa cells using anti-MYC mouse monoclonal antibody.

## Immunofluorescence Image:



Anti-MYC mouse monoclonal antibody immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY MYC.

#### Immunofluorescence Image:



Anti-MYC mouse monoclonal antibody immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY MYC.

#### Western Blot Image:

188	-	
98	-	
62	_	
49	_	-
38	-	
28	_	
17	_	
14	_	
6 3	=	

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY MYC (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MYC.

Western Blot Image:			
200 — 116 — 97.2 —			
66.4 -			
44.3 — 29.0 —			
20.1 14.3 6.5 c-myc antibody (3F2) a	at 1:1000 with Hela cell lysate.		
Requested From:	Japan		
Laboratory Reagent For In Vitro Research Use Only			
Not for resale without prior written consent from LifeSpan BioSciences, Inc.			
Created on 9/24/2014			
© 2014 LifeSpan BioSciences			