

CatalogID:	LS-C12278
Target:	v-myc avian myelocytomatosis viral oncogene homolog
Synonyms:	MYC Antibody, BHLHe39 Antibody, C-Myc Antibody, MRTL Antibody, Myc proto- oncogene protein Antibody, Proto-oncogene c-Myc Antibody, Rats1 Antibody, Transcription factor p64 Antibody, v-myc Antibody
Host	MYC antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	MYC / c-Myc antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	MYC / c-Myc antibody was raised against myc epitope tag peptide E-Q-K-L-I-S-E-E -D-L corresponding to aa410-419 of human c-Myc (Conjugated to KLH using maleimide).
Specificity:	Detects overexpressed proteins containing the Myc epitope tag. The antibody recognizes the Myc-tag (Glu-Gln-Lys-Leu-Ile-Ser-Glu -Glu-Asp-Leu) fused to either the amino- or carboxy- termini of targeted proteins in transfected or transformed cells.
Epitope:	aa410-419
Reactivity:	Human
Purification:	Affinity purified
Presentation:	PBS, pH 7.2, 0.01% sodium azide. No stabilizing proteins added.
Recommended Storage:	Long term: Add glycerol (40-50%) -20°C; Short term: +4°C
Usage Summary:	Suitable for use in ELISA, Western Blot and Immunohistochemistry. ELISA: 1:10000-1:50000. Western Blot: 1:500-1:5000.
Uses:	IHC, Western blot (1:500 - 1:5000), ELISA (1:10000 - 1:50000) (Optimal dilution to be determined by the researcher)
Size:	100 µg
Requested From:	Japan
La	aboratory Reagent For In Vitro Research Use Only
Not for resale	without prior written consent from LifeSpan BioSciences, Inc.