

CDH1 / E Cadherin Rat anti-Mouse Monoclonal (ECCD-2) Antibody - LS-C12335 - LSBio	
CatalogID:	LS-C12335
Target:	cadherin 1, type 1, E-cadherin (epithelial) (CDH1)
Synonyms:	CDH1 Antibody, CD324 Antibody, CDHE Antibody, Cell-CAM 120/80 Antibody, E Cadherin Antibody, E-Cadherin Antibody, ECAD Antibody, Epithelial cadherin Antibody, Arc-1 Antibody, UVO Antibody, Cadherin-1 Antibody, CAM 120/80 Antibody, CD324 antigen Antibody, LCAM Antibody, Uvomorulin Antibody
Family / Subfamily:	Cadherin / not assigned-Cadherin
Host	CDH1 antibody was produced in Rat
Clonality:	Monoclonal
Isotype:	IgG2a
Clone Name:	ECCD-2
Immunogen Species:	CDH1 / E Cadherin antibody was raised against Mouse
Immunogen:	CDH1 / E Cadherin antibody was raised against mouse liver E-cadherin fragment.
Specificity:	Recognizes mouse (E-cadherin or uvomorulin). Antibody has moderate cross-reactivity with human E-cadherin. Species cross-reactivity: mouse. Also has limited affinity for human.
Reactivity:	Mouse, Human
Purification:	Ion exchange chromatography
Reconstitution:	50ul of sterile ddH2O per tube. Possible additional volumes for resuspension: 50 µl
Presentation:	Lyophilized from PBS, 1% BSA
Recommended Storage:	Store at -20°C. After reconstitution, aliquot and store at -20°C. Avoid freeze/thaw cycles.
Usage Summary:	Suitable for use in Immunofluorescence, Flow Cytometry, Immunohistochemistry, Western Blot, Western Blot and Immunoprecipitation. Immunohistochemistry (paraffin and frozen): 10 ug/ml. Western Blot: 1-10 ug/ml. Western Blot: 1-2 ug/ml.
Uses:	IHC - Paraffin (10 µg/ml), IHC - Frozen (10 µg/ml), Immunofluorescence, Western blot (1 - 10 µg/ml), Immunoprecipitation, Flow Cytometry (Optimal dilution to be determined by the researcher)
Size:	100 µg
Concentration:	2 mg/ml (after resuspension)
Requested From:	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/24/2014 © 2014 LifeSpan BioSciences	