

**VCAM1 / VCAM-1 / CD106 Mouse anti-Rat Monoclonal (FITC) (MR106) Antibody - LS-C125311 - LSBio**

<b>CatalogID:</b>	LS-C125311
<b>Target:</b>	vascular cell adhesion molecule 1 (VCAM1)
<b>Synonyms:</b>	VCAM1 Antibody, CD106 Antibody, CD106 antigen Antibody, INCAM-100 Antibody, V-CAM 1 Antibody, VCAM-1 Antibody
<b>Family / Subfamily:</b>	ICAM / not assigned-ICAM
<b>Host</b>	VCAM1 antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Clone Name:</b>	MR106
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	VCAM1 / VCAM-1 / CD106 antibody was raised against Rat
<b>Immunogen:</b>	VCAM1 / VCAM-1 / CD106 antibody was raised against rat CD106-transfected L5178Y cells.
<b>Specificity:</b>	Recognizes rat CD106 at ~110kD.
<b>Reactivity:</b>	Rat
<b>Purification:</b>	Protein G purified
<b>Presentation:</b>	PBS, pH 7.4, 0.09% sodium azide, 1% BSA
<b>Recommended Storage:</b>	May be stored at 4°C for short-term only. For long-term storage and to avoid repeated freezing and thawing, aliquot and store at -20°C. Aliquots are stable for at least 12 months at -20°C. Sensitive to light.
<b>Usage Summary:</b>	Suitable for use in Flow cytometry: Neat-1:5.
<b>Uses:</b>	Flow Cytometry (Optimal dilution to be determined by the researcher)
<b>Size:</b>	100 µg
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences