

**TLR2 Rat anti-Mouse Monoclonal (FITC) Antibody - LS-C126374 - LSBio**

|                              |  |
|------------------------------|--|
| <b>CatalogID:</b>            | LS-C126374   |
| <b>Target:</b>               | toll-like receptor 2 (TLR2)  |
| <b>Synonyms:</b>             | TLR2 Antibody, CD282 antigen Antibody, CD282 Antibody, TIL4 Antibody, Toll-like receptor 2 Antibody  |
| <b>Family / Subfamily:</b>   | Toll-like Receptor / not assigned-Toll-like Receptor   |
| <b>Host</b>                  | TLR2 antibody was produced in Rat  |
| <b>Clonality:</b>            | Monoclonal   |
| <b>Isotype:</b>              | IgG2b  |
| <b>Conjugations:</b>         | Fluorescein (FITC)   |
| <b>Immunogen Species:</b>    | TLR2 antibody was raised against Mouse   |
| <b>Immunogen:</b>            | TLR2 antibody was raised against mouse TLR2.   |
| <b>Specificity:</b>          | Recognizes mouse Toll-like receptor 2 (TLR2, CD282).   |
| <b>Reactivity:</b>           | Mouse  |
| <b>Purification:</b>         | Purified   |
| <b>Presentation:</b>         | PBS, 1% BSA, 0.02% sodium azide  |
| <b>Recommended Storage:</b>  | For long-term storage and to avoid repeated freezing and thawing, aliquot and store at -20°C. Aliquots are stable for at least 12 months at -20°C. Sensitive to light. |
| <b>Usage Summary:</b>        | Suitable for use in Immunofluorescence and Flow Cytometry. Not suitable for Western Blot. Immunofluorescence: 1:50. Flow Cytometry: 1:50.                              |
| <b>Uses:</b>                 | Immunofluorescence (1:50), Flow Cytometry (1:50) (Optimal dilution to be determined by the researcher)   |
| <b>Uses Not Recommended:</b> | Western blot   |
| <b>Size:</b>                 | 100 µg   |
| <b>Requested From:</b>       | Japan  |

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences