

| AP1G1 / Gamma Adaptin Mouse anti-Bovine Monoclonal Antibody - LS-C126822 - LSBio | |
|--|---|
| CatalogID: | LS-C126822 |
| Target: | adaptor-related protein complex 1, gamma 1 subunit (AP1G1) |
| Synonyms: | AP1G1 Antibody, ADTG Antibody, AP-1 complex subunit gamma-1 Antibody, CLAPG1 Antibody, Gamma adaptin Antibody, Gamma1-adaptin Antibody |
| Host | AP1G1 antibody was produced in Mouse |
| Clonality: | Monoclonal |
| Isotype: | IgG |
| Immunogen Species: | AP1G1 / Gamma Adaptin antibody was raised against Bovine |
| Immunogen: | AP1G1 / Gamma Adaptin antibody was raised against assembly polypeptide 1 (AP-1) adaptor polypeptides from bovine brain. |
| Specificity: | Recognizes bovine AP-1 complex subunit gamma-adaptin at 91kD. Species cross-reactivity: Human and rat. |
| Reactivity: | Bovine, Human, Rat |
| Purification: | Affinity purified |
| Reconstitution: | Sterile distilled water |
| Presentation: | Lyophilized from 2 mg BSA, 1.2% sodium acetate, 0.2 mg sodium azide |
| Recommended Storage: | Lyophilized powder may be stored at -20°C. Stable for 12 months at -20°C. Aliquot to avoid repeated freezing and thawing. Store at -20°C. Reconstituted product is stable for 12 months at -20°C. |
| Usage Summary: | Suitable for use in Western blot: 2-4 ug/ml. |
| Uses: | Western blot (2 - 4 µg/ml) (Optimal dilution to be determined by the researcher) |
| Size: | 100 µg |
| Requested From: | Japan |
| Laboratory Reagent For In Vitro Research Use Only | |
| Not for resale without prior written consent from LifeSpan BioSciences, Inc. | |
| Created on 9/24/2014 | |
| © 2014 LifeSpan BioSciences | |